APPLICATION

FOR

UNITED STATES LETTERS PATENT

APPLICANT NAME: Ralph E. Dixon

TITLE: ONSHORE/OFFSHORE APPLICATION ASSESSMENT PROCESS AND TOOL

DOCKET NO.: END920030056US1

INTERNATIONAL BUSINESS MACHINES CORPORATION

ONSHORE/OFFSHORE APPLICATION ASSESSMENT PROCESS AND TOOL

Background of the Invention

1. Technical Field

The present invention relates to an onshore/offshore software application assessment

5   process and tool for distributing workforce resources between onshore and offshore locations for

supporting the software application.

2. Related Art

Some organizations (e.g., corporations) have migrated software applications offshore

10   (e.g., to India, Latin America, etc.) due to shortage of available manpower in the United States

and lower costs offshore, often resulting in higher quality development and maintenance of the

software applications at lower costs. Moving a software application from onshore (i.e., within

the United States) to offshore (i.e., outside of the United States) is a complex task that may

involve the replacement of an experienced with an equally capable staff who requires knowledge

15   the software and the environment in which the software operates. Thus, there is a need for

methodology and associated tool for managing the migration of the software application from

onshore to offshore.

Summary of the Invention

The present invention provides a method for assessing and managing a plurality of

20   software applications for offshore migration, comprising the steps of

computing for each of said applications an application assessment score; and

selecting a delivery model for each of said applications, said delivery model being

selected from the group consisting of an onshore model, an offshore model, and an onshore-

offshore mode, said delivery model being selected as function of the application assessment

5   score.

The present invention provides a computer program product, comprising:

a computer usable medium having a computer readable program code embodied therein

for assessing and managing a plurality of software applications for offshore migration, said

computer readable program code adapted to execute the steps of:

10   computing for each of said applications an application assessment score; and

selecting a delivery model for each of said applications, said delivery model being

selected from the group consisting of an onshore model, an offshore model, and an onshore-

offshore mode, said delivery model being selected as function of the application assessment

score.

15   The present invention provides a methodology and associated tool for planning and

managing the migration of a software application from onshore to offshore.

Brief Description of the Drawings

FIG. 1 is a flow chart describing an application assessment and migration procedure, in

accordance with embodiments of the present invention.

FIGS. 2-8 depict an "Assessment" worksheet of a spreadsheet which performs an

Application Assessment of FIG. 1, in accordance with embodiments of the present invention.

FIGS. 9-10 depict formulas used to calculate values of calculated fields of the spreadsheet

5   of FIGS. 2-8, in accordance with embodiments of the present invention.

Fig. 11 is a table that lists partitions and groups derived from the spreadsheet of FIGS. 2-

8, in accordance with embodiments of the present invention.

FIG. 12 is a table describing an ordering sequence for migration of the partitions listed in

FIG. 11, in accordance with embodiments of the present invention.

10   FIG. 13 is a table showing a migration timeline relating to the ordering sequence in FIG.

12, in accordance with embodiments of the present invention.

FIG. 14 is a table describing the Application Assessment Factors in the spreadsheet of

FIGS. 2-8, in accordance with embodiments of the present invention.

FIG. 15 is a table correlating a the delivery model with the Application Assessment

15   Score, in accordance with embodiments of the present invention.

FIG. 16 is a table correlating the AT column with the AS column of the spreadsheet of

FIGS. 2-8, in accordance with embodiments of the present invention.

FIG. 17 is a table correlating the BI column with the BH column of the spreadsheet of

FIGS. 2-8, in accordance with embodiments of the present invention.

20   FIG. 18 is a table describing the Documentation Factors in the spreadsheet of FIGS. 2-8,

in accordance with embodiments of the present invention.

FIG. 19 is a table the availability of documentation with the Documentation Score, in accordance with embodiments of the present invention.

FIG. 20 is a table providing guidelines for distributing a workforce between onshore and offshore, in accordance with embodiments of the present invention.

FIG. 21 illustrates a computer system for assessing and managing a plurality of software applications for offshore migration, in accordance with embodiments of the present invention.

FIG. 22 depicts a "Controls" worksheet of the spreadsheet of FIGS. 2-8 wherein the "Controls" worksheet includes tables for implementing a LOOKUP command, in accordance with embodiments of the present invention.

FIGS. 23A-2F depict a "Instructions" worksheet of the spreadsheet of FIGS. 2-8 wherein the "Instructions" worksheet provides instructions for entering data in the "Assessment" worksheet of FIGS. 2-8, in accordance with embodiments of the present invention.

Detailed Description of the Invention

Definitions

An "application" or "software application" is a software application comprising any computer program software adapted to be stored on a computer usable medium and adapted to be executed on a computer processor. Examples of applications include, *inter alia*: system software (e.g., operating system software, input/output interface software, etc.); business application software (e.g., accounting software, product inventory software, human resources software, product tracking software, equipment inventory software, client database software, etc.);

engineering software (plant operations software, acoustics and vibrations software, structural

analysis software, nuclear reactor physics software, etc.); mathematics software (e.g., statistical

analysis software, graphics software, linear analysis software, etc.). The terms "application" and

"software application" will be used interchangeably and are assumed to have an identical

5   meaning herein.

"Onshore" pertains to land within a given country (e.g., the United States). For example,

Illinois and Alaska are onshore if the given country is the United States.

"Offshore" pertains to land outside of the given country, including land having a border

in common with an exterior border of the given country. For example, Mexico and India are

10   offshore if the given country is the United States.

"Nearshore" is a special case of "offshore" and pertains to land outside of the given

country wherein said land has a border in common with an exterior border of the given country.

For example, Mexico is nearshore if the given country is the United States.

For convenience, the embodiments described herein assume that the given country

15   associated with onshore is the United States. However, it is within the scope of the present for

any country in the world to be the onshore country.

Introduction

The present invention determines what applications are most appropriate for moving

offshore and what applications are least appropriate for moving offshore. Thus, the present

20   invention provides a methodology for geographically positioning/delivering a software

application in accordance with one of three delivery models: an Onshore mode, an Onshore-Offshore model, or an Offshore model. With the **Onshore model** all workforce resources (i.e., people constituting the onshore team) are to be located onshore and all functional (i.e., high level designs, high level work effort estimates, requirements, user testing support, etc.) and detailed

5   tasks (i.e., detailed level tasks like coding, unit testing, detailed sizing/designs, etc.) will be performed by the onshore team. With the **Offshore model** all workforce resources are to be located offshore and all functional and detailed tasks will be performed by the offshore team. The **Onshore-Offshore model** separates functional and detailed tasks between the onshore and offshore teams. With the Onshore-Offshore model, a first portion of the team is onshore within

10   the United States and a second portion of the team is offshore (e.g., in India). For example, 20% of the team may be located in the United States, and 80% of the team may be located in India. The two portions of the team work together to collectively support the application. Each delivery model has a unique set of characteristics that will help identify the offshoreability of applications

The Onshore model is appropriate for an application that: is highly volatile, is unstable,

15   has legal or export restrictions, requires real-time support, requires a high level of customer interaction, requires high interfacing with other resources, is written with proprietary or third party software with limitations for moving support offshore, has stringent security requirements, and/or has little or no return-on-investment potential due to "sunset" (i.e., scheduled to be retired shortly such as 18 months or less).

20   The Offshore model is appropriate for an application that: is very stable, is highly autonomous, has a well-defined scope, follows well-defined requirements, requires few customer

interactions, is supported by contractors, and/or has a planned sunset date of less than 18 months such that a return on investment is expected to be realized within this 18-month period.

The Onshore-Offshore model is appropriate for an application that: is stable (including business critical applications that have been stabilized), has a well defined scope, follows well-

5   defined requirements, is supported by a staff that is geographically distributed and works from remote locations, requires high interfacing with other resources such that the interfacing application support will move jointly offshore and there is no dependency on restricted production data or support, is supported by a high number of contractors, and/or has a planned sunset date of less than 18 months such that a return on investment is expected to be realized

10   within this 18-month period.

FIG. 1 is a flow chart describing an application assessment and migration procedure, in accordance with embodiments of the present invention. FIG. 1 depicts a first phase for determining candidate applications for offshore migration, followed by a second phase for implementing the migration for each such candidate application. The first phase in FIG. 1 (i.e.,

15   Application Assessment and Planning) comprises the sequential processes of: Application Assessment 31, Partition Definition 32, Partition Sequence Definition 33, and Master Migration Schedule Generation 34.

The Application Assessment 31 performs an application assessment for each application that results in an application assessment score (e.g., from 1 to 50), and based on said application

20   assessment score the Application Assessment 31 determines which of the three delivery models (i.e., Onshore, Offshore, or Onshore-Offshore model) is appropriate for the application so

assessed.

The Partition Definition 32 partitions the assessed applications into logical groupings (or "partitions") such that each logical grouping can be moved from onshore to offshore as a unit of work. The logical groupings may be based on business area, business function, technology area, etc. The logical groupings may be further refined to balance the mix of applications based on business criticality, business complexity, and staffing distribution.

The Partition Sequence Definition 33 sequences the logical groupings for migration of from onshore to offshore in a manner that minimally impacts the business. The partitions are sequenced such that partitions with a low average application assessment score(to be explained *infra* in conjunction with FIG. 11), high stability, and low to medium complexity are to be moved first. Factors to be considered in the sequencing include: business, technical, resource, and project dependencies. The sequencing may be further refined by reviewing overall partition criticality and support levels.

The Master Migration Schedule Generation 34 generates a Master Migration Schedule (see FIG. 13 for an example) for implementing the group migrations sequenced by the Partition Sequence Definition 33. Generating the Master Migration Schedule may include: defining the time scope of the migration timeline, defining the overall migration strategy, identifying and planning for project dependencies and risks, developing individual partition schedules, and scheduling guidelines for each partition (typically 4 to 5 months for migration in functional steps of multiples of one month).

The second phase (i.e, Application Migration) in FIG. 1 comprises, for each migrating

application 50, the sequential processes of: Application Migration Planning 41, Knowledge

Transfer 42, Parallel Perform 43, Application Cutover 44, and Steady State 45.

The Application Migration Planning 41 takes into account the resource requirements,

what tasks have to be performed, etc., in order to subsequently transfer knowledge about the

5   application from onshore to offshore.

The Knowledge transfer 42 occurs during a period in which the application team goes

through, *inter alia*: classroom training for supporting the applications and/or guided performance

training.

The Parallel Perform 43 includes a period of time during which the new offshore team of

10   people perform the application and if the offshore team run into trouble, the previous team that

existed just prior to the onset of the offshore team is adapted to assist and help the offshore team.

The Application Cutover 44 is an interface between the Parallel Perform 43 and the

Steady State 45.

The Steady State 45 is characterized by onshore and offshore teams being in place such

15   that the offshore team is running and the application is being managed autonomously by the

offshore tem.

The Application Assessment and Planning phase of FIG. 1 will be next discussed, with

respect to: Application Assessment 31, Partition Definition 32, Partition Sequence Definition

33, and Master Migration Schedule Generation 34. The scope of the present invention includes

20   implementing each of Application Assessment 31, Partition Definition 32, Partition Sequence

Definition 33, and Master Migration Schedule Generation 34 by execution of computer readable

program code embodied in a computer usable medium.

Application Assessment

In relation to Application Assessment 11 of FIG. 1, each application is assessed based on Application Assessment Factors, comprising: business criticality, operational criticality,

5   application complexity, application profile, and other factors. The Application Assessment Factors are weighted to place greater importance on those factors having a higher business focus. FIG. 14 depicts a description of the Application Assessment Factors and their weightings.

The business criticality relates to the business as a whole; e.g., if the application is down then the business stops. In contrast, operational criticality relates to internal interfaces within the

10   business; e.g., if the application is down then other applications may be impacted. The "Other Factors" category is a catch-all category and may include, *inter alia*, factors specific to an industry (e.g., certain billing software may be a critical issue for a telecommunications company; but billing may not be a material concern for other industries, so that for a telecommunication company billing software may be too critical to export to offshore). Additionally, the weightings

15   in FIG. 14 are for illustrative purposes only, and any set of weighting factors are within the scope of the present invention.

Each Application Assessment Factor is quantified and totaled to establish the application assessment score. In some embodiments, 65 to 70 percent of a client's application portfolio will fall within the Offshore or Onshore-Offshore delivery model, while 30 to 35 percent of the

20   client's application portfolio will include key business/mission critical applications that will be

supported with an Onshore delivery model.

FIG. 15, which is applicable to some embodiments of the present invention, lists ranges of the application assessment score of an application for providing guidance to determine the appropriate delivery model for the application. FIG. 15 depicts a range of "Application Assessment Score" for each delivery model, on a scale from 1 to 50. The "Expected % of Applications" is the estimated percent of applications expected to fall within each delivery model, and the listed percents in FIG. 5 are merely illustrative. The actual "Expected % of Applications" is case-dependent and will vary from one organization to another, or from one industry to another.

FIGS. 2-8 collectively depict an "Assessment" worksheet of an EXCEL® spreadsheet, wherein said "Assessment" worksheet performs the Application Assessment 31 of FIG. 1, in accordance with embodiments of the present invention. Each Figure of FIGS. 2-8 displays the same spreadsheet rows 1-21, wherein the row numbers 1-21 are shown in the leftmost column of each Figure. Of the rows 1-21, rows 12-18 each represent a single application, and rows 19-21 are essentially empty and therefore do not represent applications.

FIG. 22 depicts a "Controls" worksheet of the spreadsheet of FIGS. 2-8 wherein the "Controls" worksheet includes tables for implementing a LOOKUP command appearing in formulas for selected calculated fields of the"Assessment" worksheet, in accordance with embodiments of the present invention.

FIGS. 23A-23F (collectively, FIG. 23) depict a "Instructions" worksheet of the spreadsheet of FIGS. 2-8 wherein the "Instructions" worksheet provides instructions for entering

data in the "Assessment" worksheet of FIGS. 2-8, in accordance with embodiments of the present invention.

FIGS. 2-8 each represent a different groups of columns of the "Assessment" worksheet of the spreadsheet, sequentially ordered from left to right. In particular, FIG. 2 depicts columns A

5   to F, FIG. 3 depicts columns H to S, FIG. 4 depicts columns U to AI, FIG. 5 depicts columns AK to AT, FIG. 6 depicts columns AV to BI, FIG. 7 depicts columns BK to BV, and FIG. 8 depicts columns BX to CH.

Whenever the description herein *infra* of the "Assessment" worksheet of FIGS. 2-8 refers to the contents of a column but does not identify specific rows, it is to understood that the

10   description is actually referring to the data content of the cells defined by the intersection of the column with rows 12, 13, 14, ...

FIG. 2 displays a legend in the cells defined by columns A-B and rows 3-7. The legend is applicable to each Figure of FIGS. 2-8. The legend identifies, by the indicated shading, which fields are enterable fields, which fields are calculated fields, and which fields contain control

15   totals. A control total for a given column is calculated as a summation of all numerical values appearing in the cells of the given column.

The cells having calculated fields each include a calculated value (e.g., a numerical value, a text value, etc.) in accordance with the formulas listed in FIGS. 9 -10, in accordance with embodiments of the present invention. The formulas in FIGS. 9-10 are expressed in accordance

20   with the EXCEL® language for articulating formulas. While the formulas listed FIGS. 9-10 are particularized for row 12, said formulas of FIGS. 9-10 are applicable to any given row of rows 12,

13, 14, ..., provided that the "12" is replaced by the row number of the given row.

FIG. 2 depicts the following information for each application: business area, business function, application ID, application name, and application description.

FIG. 3 depicts the following information for each application: hardware platform, software platform, database used by the application, application language, package flag (i.e., Y: off the shelf N: not off the shelf), package vendor, age, number of users supported, and life expectancy.

FIG. 4 includes columns which describe the distribution of full-time employees (FTE) by function/activity for each application. Columns U-AC of FIG. 4 lists the percentage of full-time employees (FTE) engaged in various functions/activities: percent of FTE doing break/fix of the software (i.e., percent of FTE devoted to repair/maintenance of the application), percent of FTE doing enhancements of the software, percent of FTE doing ad hoc support, percent of FTE doing testing, percent of FTE doing rollout (i.e., deployment), percent of FTE doing customer facing (i.e., customer interaction), percent of FTE doing project management, percent of FTE doing development, and percent of FTE doing other activities. The total of said percentages for each application are a calculated field in column AD (in rows 12, 13, 14, ...), which is computed by adding the cells in columns U through AC (see formula for AD12 in FIG. 9). Column AE lists the location of the application. Columns AF, AG, and AH indicate the number of FTEs (called "team size") having more than 6 years experience, 3 to 6 years experience, and less than three years experience, respectively. The total of said FTEs for each application is a calculated field in column AI (in rows 12, 13, 14, ...), which is computed by adding the cells in columns AE through AG (see formula for AI12 in FIG. 9).

FIG. 5 includes columns of data for computing three of the Application Assessment Factors required for the Application Assessment 31 of FIG. 1, namely: business criticality (column AK), operational criticality (column AL), and application complexity (columns AN-AR). The business criticality has a score from 1 to 5 in order of increasing business criticality. The operational criticality has a score from 1 to 5 in order of increasing operational criticality. The application complexity is broken down into five complexity components: code complexity (column AN), data complexity (column AO), business complexity (column AP), problem complexity (column AQ), and application stability (column AR). Each of said complexity components has a score from 1 to 5 in order of increasing complexity.

Column AS includes a calculated field (in rows 12, 13, 14, ...) that contains the Application Complexity Score for each application, by summing the scores of the complexity components. Thus, the Application Complexity Score is computed by adding the cells in columns AN through AR for each application (see formula for AS12 in FIG. 9).

Column AT includes a calculated field (in rows 12, 13, 14, ...) that contains the Complexity Rating for each application as indicated FIG. 16 in accordance with the formula for AT12 in FIG. 9. The Complexity Rating has a value of 1 to 5 in order of increasing Application Complexity Score.

FIG. 6 includes columns of data for computing the Application Profile factor of the Application Assessment Factors required for the Application Assessment 31 of FIG. 1. Columns AV, AW, AX, AY, AZ, BA, and BB respectively include: Number of concurrent users, Number of software modules (denoted as "LOC or Modules"), Number of Severity-1 reports per month,

Number of Severity-2 reports per month, Number of major/minor releases per month, Major/minor Releases Effort in FTEs or total hours, and Level of customization (1 to 5 in order of increasing degree of customization).

A Severity-1 incident occurs if upon an application going down, one or more other applications are negatively impacted such as likewise going down. A Severity-2 incident occurs if upon an application going down, workarounds exists such that other applications are not impacted and do not consequently go down.

Columns BC-BI of FIG. 6 each include calculated fields (in rows 12, 13, 14, ...). Column BC includes the calculated field containing a "Concurrent User's Score" computed according to the function LOOKUP, based on the Number of Concurrent Users in column AV (see formula for BC12 in FIG. 9). The Concurrent User's Score in column BC is rated on a scale if 1 to 5 in order of increasing Number of Concurrent Users. Note that the function LOOKUP accesses data in the "Controls" worksheet of FIG. 22..

Column BD includes the calculated field containing a "LOC or Modules Score" computed according to the function LOOKUP, based on the LOCs or Modules in column AW (see formula for BD12 in FIG. 9). The LOC or Modules Score in column BD is rated on a scale if 1 to 5 in order of increasing LOCs or Modules.

Column BE includes the calculated field containing a Severity-1 Score computed according to the function LOOKUP, based on the Number of Severity-1 reports per month in column AX (see formula for BE12 in FIG. 9). The Severity-1 Score in column BE is rated on a scale if 1 to 5 in order of increasing Number of Severity-1 reports per month.

Column BF includes the calculated field containing a Severity-2 Score computed according to the function LOOKUP, based on the Number of Severity-2 reports per month in column AY (see formula for BF12 in FIG. 9). The Severity-2 Score in column BF is rated on a scale if 1 to 5 in order of increasing Number of Severity-2 reports per month.

5   Column BG includes the calculated field containing a Major/Minor Release Score computed according to the function LOOKUP, based on the Number of major/minor releases per month in column AZ (see formula for BG12 in FIG. 9). The Major/Minor Release Score in column BG is rated on a scale if 1 to 5 in order of increasing Number of major/minor releases per month.

10   Column BH includes the calculated field containing an Application Profile Score computed as a summation over the contents of the scores in columns BB to BG (see formula for BH12 in FIG. 9).

Column BI includes the calculated field containing an Application Profile Rating as indicated in FIG. 17 in accordance with the formula for BI12 in FIG. 9. The Application Profile

15   Rating has a value of 1 to 5 in order of increasing Application Profile Rating.

FIG. 7 includes columns BS-BV, each containing calculated fields in rows 12, 13, 14, ..., which comprise scores associated with the Application Assessment Factors of FIG. 14. Row 9 of columns BS-BV contain the weighting factors of FIG. 14.

Column BS includes the calculated field containing a "Business Criticality Score"

20   computed according to the product of the Business Criticality rating in column AK (see FIG. 5) and the applicable weight in cell BS9 (see formula for BS12 in FIG. 10).

Column BT includes the calculated field containing a "Operational Criticality Score" computed according to the product of the Operational Criticality rating in column AL (see FIG. 5) and the applicable weight in cell BT9 (see formula for BT12 in FIG. 10).

Column BU includes the calculated field containing a "Application Complexity Score"

5   computed according to the product of the Complexity rating in column AT (see FIG. 5) and the applicable weight in cell BU9 (see formula for BU12 in FIG. 10).

Column BV includes the calculated field containing a "Application Profile Score" computed according to the product of the Application Profile rating in column BI (see FIG. 6) and the applicable weight in cell BV9 (see formula for BV12 in FIG. 10).

10   FIG. 8 includes columns having calculated fields and relating to completing the Application Assessment 31 of FIG. 1, namely columns BX, BY, CA, CB, CC, CD, CF, CG, and CH.

Column BY is a calculated field containing the Application Assessment Score in rows, 12, 13, 14, ..., calculated by adding scores associated with the Application Assessment Factors, said

15   scores being in columns BS-BV of FIG. 7 (see formula for BY12 in FIG. 10). Thus the Application Assessment Score is computed in the presently described embodiment as a weighted linear function of the following variables: business criticality rating, the operational criticality rating, the application complexity rating, and the application profile rating. However, the scope of the present invention includes an embodiment in which the Application Assessment Score is

20   computed as a weighted nonlinear function of the following variables: business criticality rating, the operational criticality rating, the application complexity rating, and the application profile

rating (which means that the dependence on at least one of said variables in nonlinear). It should be noted that weighting of each variable (in either the linear or nonlinear embodiment) may be zero or non-zero; a weighting of zero for a given variable would make the Application Assessment Score independent of the given variable

5   Column BX is a calculated field containing the delivery model for each application (in rows 12, 13, 14, ...). In column BX "Onsite" and "Remote" respectively means "Onshore" and "Offshore". The formula for determining the delivery model in column BX is given as the formula for calculating BX12 in FIG. 10. The features of this formula include:

       1) BX is a function of the Application Assessment Score contained in column BY

10   according to: BX="Onsite" if BY>40, BX="Remote" if BY≤10, and BX="Onsite/Remote" if 11≤BY≤40 (note that the preceding dependence of BX on BY differs from the dependence of BX on BY in FIG. 15 which is acceptable since the scope of the present invention does not constrain the dependence of BX on BY to a specific relationship);

       2) The preceding calculation of BX in 1) above is subject to an override (i.e., a delivery

15   model override) based other special conditions; e.g., BX="CriticalApp & Unstable" if AK=5 and AR>3 (Business Criticality rating =5 and Stability rating >3), which occurs in cell BX18; and

       3) The preceding calculation of BX in 1) and 2) above is subject to another delivery model override, namely an override input in column CA.

       Columns CF, CG, and CH are calculated fields collectively containing the delivery model

20   for each application (in rows 12, 13, 14, ...), based on column BX with a further dependence on column CA (see formulas for CF12, CG12, and CH12 in FIG. 10). Note that "1" denotes that the

associated delivery model is used for the application, and "0" denotes that the associated delivery model is not used for the application. For example, the "1" in cells CG12, CG13, CG14, CG16, and CG17 indicates that the application of rows 12-17 each have the Onsite/Remote delivery model, which is derived from the fact that the Onsite/Remote delivery model is contained in cells

5   BX12-BX17. The "CriticalApp & Unstable" value in cell BX18 translates to the Onsite model in cell CF18.

Columns CB, CC, and CD are calculated fields containing the distribution of FTEs with respect to the Onsite, Onsite/Remote, and Remote delivery models. As may be seen in FIG. 8, the pattern of "0" and "1" in columns CF, CG, and CH is repeated in columns CB, CC, and CD,

10   respectively, except that "1" is replaced by the total number of FTEs contained in column AI of FIG. 4 (see formula for CB12, CC12, and CD12 in FIG. 10).

Partition Definition

In relation to Partition Definition 32 of FIG. 1, a partition represents a group of applications that will migrate from onshore to offshore together. FIG. 11 depicts the partitions,

15   derived from column A of FIG, 2 on the basis of a common business area. Thus the partitions listed in FIG. 11 are: Logistics, Finance, and HR. Payroll is a grouping, but not a partition, but rather is a group of applications that will remain onshore, because Payroll is an Onshore grouping as indicated in cell CF18 of FIG. 8.

The partitions and groupings may alternatively be based on other criteria such as, *inter*

20   *alia*, business function, technology area, team size (in terms of the number of FTEs), call volumes

(i.e., helpdesk and non-helpdesk), internal and external dependencies, project activity, etc.

The Application Count is the number of applications in each business area as deduced from col. A of FIG. 2.

The average Application Assessment Score for each partition or grouping is the arithmetic average of the Application Assessment Scores for the applications in each partition or grouping, as listed in column BY of FIG. 8. For example, column A of FIG. 1 identifies the Logistics partition as relating to rows 16 and 17. Since the Application Assessment Scores for rows 16 and 17 are 26 and 23.5, respectively, the average Application Assessment Score for the Logistics partition is 24.75 (i.e., [26+23.5]/2). Note that the partitions are ordered (from top to bottom) in FIG. 11 by the average Application Assessment Score.

The Total FTEs for each partition is the summation of the FTEs of the applications in the partition, as derived from column AI of FIG. 4 (or from columns CB, CC, and CD of FIG. 8). For example, column A of FIG. 1 identifies the Finance partition as relating to rows 12 and 13. Since the FTEs for rows 12 and 13 are 55 and 27, respectively, the Total FTEs for the Finance partition is 82 (i.e., 55+27).

Partition Sequence Definition

In relation to Partition Sequence Definition 32 of FIG. 1, FIG. 12 lists the partitions of FIG. 11 in order of migration (from top to bottom) to offshore. The duration of migration for each partition in FIG. 12 includes the following sequential processes of Application Migration depicted in FIG. 1: Application Migration Planning 41, Knowledge Transfer 42, and Parallel

Perform 43. The duration of migration for each partition in FIG. 12 relates to factors such as, *inter alia*, an average Documentation Score (discussed *infra*), the size of the application (i.e., number of program modules or lines of code, etc.), application complexity, resource availability, etc. The order of migration in FIG. 12 relates to the order of average Application Assessment

5   Score in FIG. 11 (listed again in FIG. 12) and also to the duration of migration for each partition. Consequently, the order of migration of the partitions may relate to the average Documentation Score through the dependence of the duration on the average Documentation Score.

As to the effect of the Application Assessment Score on the order of migration, the least critical and least complex applications should be migrated first, and the more critical and complex

10   applications should be relatively later migrated. Additionally, the earlier and less complex applications can be migrated more quickly as reflected in the duration of 3, 4, and 5 months for the Logistics, Finance, and HR partitions respectively.

As to the effect of the average Documentation Score on the duration of migration of each partition, FIG. 7 of the spreadsheet includes Documentation Factors in columns BK - BQ, their

15   scores for each application in rows 12, 13, 14, ..., and their associated weights in row 9. The Documentation Factors are rated on a scale from 1 to 5 with the a rating of 1 being the lowest rating indicative of a low level of documentation, and a rating of 5 being the highest rating indicative of a high level of documentation. FIG. 18 provides a description of the Documentation Factors along with their associated weights. The weights in FIG. 18 are merely illustrative, and

20   any set of weights may be used.

FIG. 8 includes column BZ which is a calculated field containing a Documentation Score

in rows 12, 13, 14, ... The Documentation Score is a linear combination of the Documentation

Factors in accordance with the weights, multiplied by 10 (see formula for BZ12 in FIG. 10). For

example, the documentation factor for row 12 is 27 (i.e., $10x[.25x5 +.15x3 +.10x2 + .05x2 + .20x1 + .15x2 + .10x2])$.

5   FIGS. 11 and12 each list the average Documentation Score for each partition and group, as

averaged over the applications in each partition and group.

FIG. 19, which is applicable to some embodiments of the present invention, lists ranges of

the documentation score of an application for providing guidance to determine the cycle length

(i.e., months) for migrating applications to offshore. Generally, the more available the

10   documentation, the shorter the cycle length. A higher availability is associated with a higher

Documentation Score.

Returning to FIG. 12, the order of migration is a function of the average Application

Assessment Score and the average Documentation Score. As can be seen in FIG. 12, the Logistics

partition (which has the lowest average Application Assessment Score and the highest average

15   Documentation Score) will have the shortest migration duration of 3 months and be first to

migrate to offshore, while the HR partition (which has the highest average Application

Assessment Score and the lowest average Documentation Score) will have the longest migration

duration of 5 months and be last to migrate to offshore. However, the order of migration may take

into account other factors, such as life expectancy and dependencies (i.e., technical, people, and

20   project dependencies).

FIG. 12 also shows "Onshore Percent" of 20% (i.e., the percent of FTEs placed onshore)

for each partition and the "Offshore Percent"of 80% (i.e., percent of FTEs placed offshore for

each partition). FIG. 12 also shows the Onshore FTEs (i.e., Onshore Percent x Total FTEs), and

the Offshore FTEs (i.e., Offshore Percent x Total FTEs). The Onshore Percent of 20% and the

Offshore Percent of 80% is for illustrative purposes only. Generally, any combination of Onshore

5   Percent and Offshore Percent that sums to 100% is within the scope of the present invention.

FIG. 20 lists various combinations of Onshore Percent and Offshore Percent and the factors that

favor each such combination.

Master Migration Schedule Generation

In relation to Master Migration Schedule Generation 34 of FIG. 1, FIG. 13 depicts a

10   Master Migration Schedule, which includes a timeline for implementing the migration of

applications to offshore. The timeline of FIG. 13 shows that the Logistics partition is migrated

first, the Finance partition is next migrated, and the HR partition is migrated last. The preceding

order of migration is in accordance with the order of migration discussed *supra* in conjunction

with FIG. 12.

15   In the Month1, Month 2, ... portion of the timeline of FIG. 13, "PLAN" denotes

Application Migration 41 depicted in FIG. 1, "KT" denotes Knowledge Transfer 42 depicted in

FIG. 1, "PARALLEL" denotes Parallel Perform 43 depicted in FIG. 1, and "SS" denotes Steady

State 45 depicted in FIG. 1.

To illustrate the timeline of FIG. 13, consider the Finance partition. In accordance with

20   the second phase of FIG. 1 (i.e., Application Migration), FIG. 13 shows that: month 3 is devoted

to the Application Migration Planning 41 (i.e., "PLAN"), months 4 and 5 are devoted to

Knowledge Transfer 42 (i.e., "KT"), and month 6 is devoted to Parallel Perform 43 (i.e.,

"PARALLEL") for a duration of 4 months. The Finance partition is in Steady State 45 in month

7, and the Application Cutover 44 is at the interface between the end of month 6 and the

5   beginning of month 7. The Logistics and HR partitions have similar timelines in FIG. 13.

Additional Aspects of the Invention

        While an EXCEL® spreadsheet was described herein for computing for each application an

application assessment score and a documentation score (as well as related parameters such as

assigning FTEs to a delivery model for each application), the scope of the present invention

10   includes any commercial or non-commercial spreadsheet capable of having calculated fields with

associated calculational formulas. The scope of the present invention more generally includes any

known software computing means for performing any of the calculations and logic that was

described herein as being performed in accordance with said spreadsheet. Such software

computing means may include, *inter alia*, a spreadsheet as discussed *supra* or a computer program

15   written in any applicable computer programming language such as C, C++, BASIC, FORTRAN,

PASCAL, etc.

        FIG. 21 illustrates a computer system 90 for assessing and managing a plurality of

software applications for offshore migration, in accordance with embodiments of the present

invention. The computer system 90 comprises a processor 91, an input device 92 coupled to the

20   processor 91, an output device 93 coupled to the processor 91, and memory devices 94 and 95

each coupled to the processor 91. The input device 92 may be, *inter alia*, a keyboard, a mouse, etc. The output device 93 may be, *inter alia*, a printer, a plotter, a computer screen, a magnetic tape, a removable hard disk, a floppy disk, etc. The memory devices 94 and 95 may be, *inter alia*, a hard disk, a dynamic random access memory (DRAM), a read-only memory (ROM), etc. The

5   memory device 95 includes a computer code 97 (i.e., computer readable program code). The computer code 97 may be embodied in a spreadsheet having calculated fields with associated calculational formulas, such as the EXCEL® spreadsheet discussed *supra* in conjunction with FIGS. 2-8 and 22-23. The computer code 97 includes an algorithm for assessing and managing a plurality of software applications for offshore migration. The processor 91 executes the computer

10   code 97. The memory device 94 includes input data 96. The input data 96 includes input required by the computer code 97. The output device 93 displays output from the computer code **97**. Either or both memory devices 94 and 95 (or one or more additional memory devices not shown in FIG. 21) may be used as a computer usable medium having a computer readable program code embodied therein, wherein the computer readable program code comprises the computer code **97**.

15   While FIG. 21 shows the computer system 90 as a particular configuration of hardware and software, any configuration of hardware and software, as would be known to a person of ordinary skill in the art, may be utilized for the purposes stated *supra* in conjunction with the particular computer system 90 of FIG. 21. For example, the memory devices 94 and 95 may be portions of a single memory device rather than separate memory devices.

20   While embodiments of the present invention have been described herein for purposes of illustration, many modifications and changes will become apparent to those skilled in the art.

Accordingly, the appended claims are intended to encompass all such modifications and changes as fall within the true spirit and scope of this invention.